













Jinxing Aerosol Valve Manufacture Co., Ltd



Aerosol Valve series





NO.	Commodity (Code)	Photo	Actuator	Description
01	Air(Room) Freshener Aersol valve(JX- 2263)		<i>PL/PT/ MH/PR</i>	<ol style="list-style-type: none"> 1.Mounting Cup : Plain tinplate ,with down dimples 2.Outer Gasket : Buna 3.Inner Gasket : Buna (KA-6712) 4.Stem: Double Orifice : 2×φ0.020" (2×φ0.51mm) Orange 5.Spring : Stainless steel 6.Housing : Tail orifice-φ2.00×φ0.51mm Yellow 7.Dip Tube: Standard (Natural)
02	Alcohol based insecticide valve(JX- 2262)		<i>AE/KC/KD</i>	<ol style="list-style-type: none"> 1.Mounting Cup : Plain tinplate ,with down dimples 2.Outer Gasket : Buna 3.Inner Gasket : Buna (KA-6712) 4.Stem: Double Orifice : 2×φ0.020" (2×φ0.51mm) Orange 5.Spring : Stainless steel 6.Housing :.Housing: Tail orifice-φ0.080" (φ 2.00mm) Natural 7.Dip Tube: Standard (Natural)

<p>03 All direction spray valve(JX-227B2)</p>		<p><i>CB/DB</i></p> <ol style="list-style-type: none"> 1.Mounting Cup : Plain tinplate ,with down dimples 2.Outer Gasket : Buna 3.Inner Gasket : Buna (KA-6712) 4.Stem: Double Orifice : $2 \times \phi 0.020''$ ($2 \times \phi 0.51\text{mm}$) Orange 5.Spring : Stainless steel 6.Housing : All direction valves housing-Tail orifice:$\phi 0.080''$ ($\phi 2.00\text{mm}$) (Natural)-with stainless steel ball White 7.Dip Tube: Standard (Natural)
<p>04 Body Spray valve (JX-2163)</p>		<p><i>PL/PT/MH</i></p> <ol style="list-style-type: none"> 1.Mounting Cup : Plain tinplate ,with down dimples 2.Outer Gasket : Buna 3.Inner Gasket : Buna (KA-6712) 4.Stem: Single Orifice $1 \times \phi 0.020''$ ($1 \times \phi 0.51\text{mm}$) Natural 5.Spring : Stainless steel 6.Housing : Tail orifice-$\phi 0.080''$ ($\phi 2.00\text{mm}$) Natural 7.Dip Tube: Standard (Natural)
<p>05 Car care spray valve(JX-227B2)</p>		<p><i>PR/PU/FR/FU</i></p> <ol style="list-style-type: none"> 1.Mounting Cup : Plain tinplate ,with down dimples 2.Outer Gasket : Buna 3.Inner Gasket : Buna (KA-6712) 4.Stem: Double Orifice : $2 \times \phi 0.020''$ ($2 \times \phi 0.51\text{mm}$) Orange 5.Spring : Stainless steel 6.Housing : : All direction valves housing-Tail orifice$\phi 0.080''$ ($\phi 2.00\text{mm}$) (Natural)-with stainless steel ball White 7.Dip Tube:
<p>06 Carburetor cleaner spray valve(JX-2272)</p>		<p><i>CB/DB</i></p> <ol style="list-style-type: none"> 1.Mounting Cup : Plain tinplate ,with down dimples 2.Outer Gasket : Buna 3.Inner Gasket : Neoprene (N-205) 4.Stem: Double Orifice : $2 \times \phi 0.020''$ ($2 \times \phi 0.51\text{mm}$) Orange 5.Spring : Stainless steel 6.Housing: Tail orifice-$\phi 0.080''$ ($\phi 2.00\text{mm}$) Natural 7.Dip Tube: Standard (Natural)

<p>07 Deodorant Spray valve(JX- 2163)</p>		<p><i>PL/PT/MH</i></p> <ol style="list-style-type: none"> 1.Mounting Cup : Plain tinplate ,with down dimples 2.Outer Gasket : Buna 3.Inner Gasket : Buna (KA-6712) 4.Stem: Double Orifice : Single Orifice 1×φ0.020" (1×φ0.51mm) Natural 5.Spring : Stainless steel 6.Housing : Tail orifice-φ2.00×φ0.51mm Yellow 7.Dip Tube: Standard (Natural)
<p>08 Foam Cleaner spray valve(JX- 2262)</p>		<p><i>PU/PM/FM</i></p> <ol style="list-style-type: none"> 1.Mounting Cup : Plain tinplate ,with down dimples 2.Outer Gasket : Buna 3.Inner Gasket : Buna (KA-6712) 4.Stem: Double Orifice : 2×φ0.020" (2×φ0.51mm) Orange 5.Spring : Stainless steel 6.Housing : Tail orifice-φ0.080"(φ2.00mm) Natural 7.Dip Tube: Standard (Natural)
<p>09 Foam Cleaner spray Valve(JX- 5262)</p>		<p><i>PU/PM/FM</i></p> <ol style="list-style-type: none"> 1.Mounting Cup : Both sides clear lacquered tinplate 2.Outer Gasket : Buna 3.Inner Gasket : Buna (KA-6712) 4.Stem: Double Orifice : 2×φ0.020" (2×φ0.51mm) Orange 5.Spring : Stainless steel 6.Housing : Tail orifice-φ0.080"(φ2.00mm) Natural 7.Dip Tube: Standard (Natural)
<p>10 Hair Spray valve (JX- 2162)</p>		<p><i>PL/MH</i></p> <ol style="list-style-type: none"> 1.Mounting Cup : Plain tinplate ,with down dimples 2.Outer Gasket : Buna 3.Inner Gasket : Buna (KA-6712) 4.Stem: Single Orifice :1×φ0.020" (1×φ0.51mm) Nature 5.Spring : Stainless steel 6.Housing :Tail orifice-φ0.080"(φ2.00mm) Natural 7.Dip Tube: Standard (Natural)

<p>11 Hair Spray valve (JX-5162)</p>		<p><i>PL/MH</i></p> <ol style="list-style-type: none"> 1.Mounting Cup : Both sides clear lacquered tinplate 2.Outer Gasket : Buna 3.Inner Gasket : Buna (KA-6712) 4.Stem: Single Orifice :1×φ0.020" (1×φ0.51mm) Nature 5.Spring : Stainless steel 6.Housing : Tail orifice-φ0.080"(φ2.00mm) Natural 7.Dip Tube: Standard (Natural)
<p>12 Lighter Gas spray valve(JX-9858)</p>		<p><i>None</i></p> <ol style="list-style-type: none"> 1.Mounting Cup : Little hole,no hole flanging ,tinplate 2.Outer Gasket : Buna 3.Inner Gasket : Buna 4.Stem: Double Orifice 2x0.8mm Metal stem -19mm 5.Spring : Stainless steel 6.Housing : Four slots,black ,shorter
<p>13 Lighter Gas spray valve(JX-9958)</p>		<p><i>None</i></p> <ol style="list-style-type: none"> 1.Mounting Cup : Little hole,no hole flanging ,tinplate 2.Outer Gasket : Buna 3.Inner Gasket : Buna 4.Stem: Double Orifice 2x0.8mm (Metal stem - 21mm) 5.Spring : Stainless steel 6.Housing : Four slots,black ,shorter
<p>14 Lighter Gas spray valve(JX-2961)</p>		<p><i>None</i></p> <ol style="list-style-type: none"> 1.Mounting Cup : Little hole,no hole flanging ,tinplate 2.Outer Gasket : Buna 3.Inner Gasket : Buna 4.Stem: Double Orifice 2x0.8mm (Metal stem - 22.5mm) 5.Spring : Stainless steel 6.Housing : 6.Housing : No tail orifice,four slots,black

<p>15</p> <p>Lighter Gas spray valve(JX-2749)</p>		<p><i>None</i></p> <ol style="list-style-type: none"> 1.Mounting Cup :Plain tinplate ,with down dimples 2.Outer Gasket : Buna 3.Inner Gasket : Buna 4.Stem: Double Orifice-Double Orifice 2×φ0.51mm Red 5.Spring : Stainless steel 6.Housing : No tail orifice,four slots,black
<p>16</p> <p>Oil based insecticide Spray valve(JX-2272)</p>		<p><i>AE/KC/KD</i></p> <ol style="list-style-type: none"> 1.Mounting Cup : Plain tinplate ,with down dimples 2.Outer Gasket : Buna 3.Inner Gasket : Neoprene (N-205) 4.Stem: Double Orifice 2×φ0.020" (2×φ0.51mm) Orange 5.Spring : Stainless steel 6.Housing : Tail orifice-φ0.080"(∅ 2.00mm) Natural 7.Dip Tube: Standard (Natural)
<p>17</p> <p>Paint spray valve(JX-2184)</p>		<p><i>MG/MG-A/LN</i></p> <ol style="list-style-type: none"> 1.Mounting Cup : Plain tinplate ,with down dimples 2.Outer Gasket : Buna 3.Inner Gasket : Buna (KA-6712) 4.Stem: Single Orifice 1×φ0.020" (1×φ0.51mm) Natural 5.Spring : Stainless steel 6.Housing : Tail orifice-φ0.080"×φ 0.013 (φ2.00×φ0.33mm) Orange 7.Dip Tube: Standard (Natural)
<p>18</p> <p>Paint spray valve(JX-2284)</p>		<p><i>MG/MG-A/LN</i></p> <ol style="list-style-type: none"> 1.Mounting Cup : Plain tinplate ,with down dimples 2.Outer Gasket : Buna 3.Inner Gasket : Buna (KA-6712) 4.Stem: Double Orifice : 2×φ0.020" (2×φ0.51mm) Orange 5.Spring : Stainless steel 6.Housing : Tail orifice-φ0.080"×φ 0.013 (φ2.00×φ0.33mm) Orange 7.Dip Tube: Standard (Natural)

<p>19</p> <p>Portable gas stove valve(JX-6647)</p>		<p><i>2-NR</i></p> <p>1.Mounting Cup : (Portable gas stove valve) Special mounting cup</p> <p>2.Outer Gasket : Buna</p> <p>3.Inner Gasket : Buna</p> <p>4.Stem: (Portable gas stove valve) Special stem</p> <p>5.Spring : Stainless steel</p> <p>6.Housing : (Portable gas stove valve) Special Housing</p>
<p>20</p> <p>Powder spray valve(JX-2582)</p>		<p><i>PW</i></p> <p>1.Mounting Cup : Plain tinplate ,with down dimples</p> <p>2.Outer Gasket : Buna</p> <p>3.Inner Gasket : Buna (KA-6712)</p> <p>4.Stem: Special for powder spray valve (Three Orifice 3x1.27mm) Blue</p> <p>5.Spring : Stainless steel</p> <p>6.Housing : Tail orificeϕ-0.080"(\varnothing 2.00mm) Natural</p> <p>7.Dip Tube: Standard (Natural)</p>
<p>21</p> <p>Powder spray valve(JX-5582)</p>		<p><i>PW</i></p> <p>1.Mounting Cup :Both side clear lacquered tinplate</p> <p>2.Outer Gasket : Buna</p> <p>3.Inner Gasket : Buna (KA-6712)</p> <p>4.Stem: Special for powder spray valve (Three Orifice 3x1.27mm) Blue</p> <p>5.Spring : Stainless steel</p> <p>6.Housing : Tail orifice-ϕ0.080"(\varnothing 2.00mm) Natural</p> <p>7.Dip Tube: Standard (Natural)</p>
<p>22</p> <p>Ribbon spray valve(JX-2482)</p>		<p><i>AB</i></p> <p>1.Mounting Cup : Plain tinplate ,with down dimples</p> <p>2.Outer Gasket : Buna</p> <p>3.Inner Gasket : Buty (U-133)</p> <p>4.Stem: Four Orifice 4$\times$$\phi$0.024" (4$\times$0.61mm) white</p> <p>5.Spring : Stainless steel</p> <p>6.Housing : Tail orifice-ϕ0.080" (\varnothing 2.00mm) Natural</p> <p>7.Dip Tube: Standard (Natural)</p>

23
Shaving
Spray
valve(JX-
2172)



NP

- 1.Mounting Cup : Plain tinplate ,with down dimples
- 2.Outer Gasket : Buna
- 3.Inner Gasket : Buna (KA-6712)
- 4.Stem: Single Orifice :1× ϕ 0.020" (1× ϕ 0.51mm) (Nature)
- 5.Spring : Stainless steel
- 6.Housing : Tail orifice- ϕ 0.080" (ϕ 2.00mm) Natural
- 7.Dip Tube: Standard (Natural)


24
Silicon
spray
valve(JX-
2272)



CB/DB

- 1.Mounting Cup : Plain tinplate ,with down dimples
- 2.Outer Gasket : Buna
- 3.Inner Gasket : Neoprene (N-205)
- 4.Stem : Double Orifice 2× ϕ 0.020" (2× ϕ 0.51mm) Orange
- 5.Spring : Stainless steel
- 6.Housing : Tail orifice- ϕ 0.080"(ϕ 2.00mm) Natural
- 7.Dip Tube: Standard (Natural)

25
Water base
insecticide
spray
valve(JX-
2263)



*PR/FR/MG/
PS*

- 1.Mounting Cup : Plain tinplate ,with down dimples
- 2.Outer Gasket : Buna
- 3.Inner Gasket : Buna (KA-6712)
- 4.Stem: Double Orifice 2× ϕ 0.020" (2× ϕ 0.51mm) Orange
- 5.Spring : Stainless steel
- 6.Housing : Tail orifice- ϕ 2.00× ϕ 0.51mm Yellow
- 7.Dip Tube: Standard (Natural)


26
Snow spray
valve(JX-
2282)



FR/FU

- 1.Mounting Cup : Plain tinplate ,with down dimples
- 2.Outer Gasket : Buna
- 3.Inner Gasket : Buty(U-133)
- 4.Stem: Double Orifice 2× ϕ 0.020" (2× ϕ 0.51mm) Orange
- 5.Spring : Stainless steel
- 6.Housing : Tail orifice- ϕ 0.080"(ϕ 2.00mm) Natural
- 7.Dip Tube: Standard (Natural)


27 **Aluminum aerosol valve**



with insert


- 1. Mounting Cup : Aluminum
- 2. Outer Gasket : Buna
- 3. Inner Gasket : Butyl
- 4. Stem: 2*0.51mm
- 5. Spring : Stainless steel
- 6. Housing : No side orifice ,tail orifice 20.mm

28 20mm aerosol valve (Nylon Stem)



- 1. Mounting Cup : Aluminum
- 2. Outer Gasket : Buna
- 3. Inner Gasket : Butyl
- 4. Stem: 2*0.51mm
- 5. Spring : Stainless steel
- 6. Housing : No side orifice ,tail orifice 20.mm

29 20mm aerosol valve (metal stem)



- 1. Mounting Cup : Aluminum
- 2. Outer Gasket : Buna
- 3. Inner Gasket : Butyl
- 4. Stem: 1*0.51mm
- 5. Spring : Stainless steel
- 6. Housing : No side orifice ,tail orifice 20.mm

30 Metering Valve (Metal stem)



3-GM

- 1. Mounting Cup : Tinplate (1")
- 2. Outer Gasket : Buna
- 3. Inner Gasket : Butyl
- 4. Stem: 1*0.51mm
- 5. Spring : Stainless steel
- 6. Housing : No side orifice

31 Metering Valve (Nylon stem)



3-GM

- 1. Mounting Cup : Tinplate (1")
- 2. Outer Gasket : Buna
- 3. Inner Gasket : Butyl
- 4. Stem: 1*0.51mm
- 5. Spring : Stainless steel
- 6. Housing : No side orifice



Actuator series



























PHOTO	Description	PHOTO	Description
	Code : 2-PT Insert Color : Blue Orifice diameter : 0.33mm		Code : 2-PL Insert Color : Black Orifice diameter : 0.41mm
	Code:2-PM Insert : Yellow Orifice:0.46mm		Code : 2-PR Insert Color : Red Orifice diameter : 0.64mm
	Code : 2-PW Insert Color : Natural Orifice diameter : 0.80mm		Code : 2-MG Insert Color : Red Orifice diameter : 0.64mm
	Code : 2-MH Insert Color : Black Orifice diameter : 0.51mm		Code : 2-KD No Insert Orifice diameter : 0.84mm
	2-DB-02 Extention Tube:white-16mm Orifice diameter : 1.00mm		Code : 2-NP No Insert Orifice diameter : 1.00mm
	Code : 2-MG-A Insert Color : Red Orifice diameter : 0.64mm		Code : 2-KC No Insert Orifice diameter : 0.84mm
	Code : 2-DB Orifice diameter : 1.00mm		Code : 2-KE Orifice diameter : 0.84mm
	2-PI Insert Color : Pink Orifice diameter : 0.51mm		2-MG-B INSERT COLOR :RED (TURNING) ORIFICE :0.51MM

PHOTO	Description	PHOTO	Description
	Code : 2-FT <i>Insert Color : Blue</i> Orifice diameter : 0.33mm		Code : 2-FM <i>Insert Color : Yellow</i> Orifice diameter : 0.46mm
	Code : 2-AF (With slot) <i>No Insert</i> Orifice diameter : 0.84mm		Code : 2-AE <i>No Insert</i> Orifice diameter : 0.84mm
	Code : 2-AB <i>No Insert</i> Orifice diameter : 1.2mm		Code : 2-AB-B <i>No Insert</i> Orifice diameter : 1.0mm
	Code : 2-FL <i>Insert Color : Black</i> Orifice diameter : 0.41mm		Code : 2-CB <i>Extention Tube : Red - 12mm</i> Orifice diameter : 1.00mm
	Code : 2-NP <i>Cap Color : Red</i>		Code : 2-LN <i>Insert Color : Black</i> Orifice diameter : 0.51mm
	3-GM <i>Insert Color : Yellow</i> Orifice diameter : 0.46mm		Code : 2-FR <i>Insert Color : Red</i> Orifice diameter : 0.64mm
	2-DB-01 WHITE TUBE 150MM 1.0MM		PAINT ACTUATOR(NEW) ORIFICE 0.64MM

2014 NEW PRODUCTS



Contact Information

**ADD: ZHENGANG DEVELOPMENT ZONE ,YANSHAN COUNTY,CANGZHOU CITY
HEBEI PROVINCE ,CHINA**

TEL:+86 317 6309198

FAX:+86 317 6306662

Post code :061300

<http://jinxingvalve.en.alibaba.com/>



Sales manager : Ms Stephanie ren

E-mail : aerosol@jinxingvalve.com

MSN : stephanie.ren@live.cn

Trade manager : cn209764729

Mobile :+86 187 3307 6037(whatsapp)

Skype : czjincheng